Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.61

1847

CATALOGUE

OF

SEEDS, ROOTS,

AND

Shrubs,

SOLD BY

DUNLAP & THOMSON,

SEEDSMEN AND FLORISTS,

No. 635 BROADWAY,

NEW YORK.

1847.

J. W. BELL, PRINTER,

CORNER OF ANN AND NASSAU STREETS, N. Y.

LIBRARY OF THE HORTICULTURAL SOCIETY

CATALOGUE

OF

SEEDS, ROOTS, & SHRUBS,

SOLD BY

DUNLAP & THOMSON,

Seedsmen and Florists,

No. 635 BROADWAY,

NEW YORK.

1847.

J. W. BELL, PRINTER,
CORNER OF ANN AND NASSAU STREETS, NEW YORK.

Botanical, Horticultural, and Agricultural Publications, supplied as published.

Strawberry, Raspberry, Currant, Gooseberry, and Fruit-Tree Seeds, of the most choice varieties, selected and packed for exportation.

Garden Seeds of the most approved kinds and varieties, carefully assorted and packed for all Climates.

Flower Seeds of the most choice sorts, selected and systematically arranged for the purpose of Botanical or Floral cultivation.

DUTCH BULBS AND FLOWER ROOTS.

Flowering Shrubs, Fruit Trees, Greenhouse and Herbaceous Plants.

TREE, SHRUB, AND FLOWER SEEDS IMPORTED, From the best Houses in Europe.

Bird Seeds, Russian Mats, Split Peas, Flour of Mustard, Birds and Bird Seed, Gold Fish and Globes, Garden Tools, Pruning Knives, Iron Settees, Chairs, and Flower Stands.

Grass Seeds assorted and mixed for Lawns, for the purpose of permanent Pasturage and alternate Culture, as may be adapted to Soil and Situation.

CATALOGUE.

GARDEN SEEDS.

PEAS.

*Early May or Kent, *earliest grown*
*Cormack's Prince Albert
*Shilling's new early Grotto
Bishop's early dwarf
Early single Blossom Frame
Early Nimble ditto
Early Warwick ditto
Early Charlton ditto
Dwarf Marrow
Groom's superb Dwarf
Large tall Marrow
New Green Marrow
Dwarf Sugar
Tall Sugar
Spanish Dwarf or Fan
Improved " "
Prolific or White Prussian
Blue Prussian
Royal Dwarf
Dwarf Blue Imperial
Bedman's Imperial
Long-podded Imperial
Knight's Tall Marrow
——— Dwarf do.
——— Tall Green
——— Dwarf Green
Knight's *New early Improved
——— Victoria, *fine*
New Matchless
Waterloo Blue
Sickle or Cimeter
Wellington, tall fine
Nonsuch or Woodford Marrow
Victoria Marrow

BEANS.

Early Mazagan
Early long pod
Sword long pod
*Hangdown long pod
Green eared pod or *Nonpareil*
Common Windsor
Scarlet Blossom'd
Fan, Bog, or Cluster } *These are recommended for small Gardens.*
Green Fan, or Bog }
New Royal Cluster }
White Blossom

* Those marked by an Asterisk are of recent introduction and of superior quality.

KIDNEY BEANS.

New Royal Dwarf
Pale Dun Forcing Dwarf
Early Rachael
Chinese
Negro
Canterbury
White Dutch
Black Speckled
Red Speckled
Purple Speckled
Dark Dun or liver colored
Mohawk or early Six-week
Dwarf Cranberry
Refugee or Prolific Six-week
Yellow "
Dwarf Cluster "
Scarlet Runners "
White Dutch "
Lima Pole "
Asparagus Pole "
Cranberry Pole " in sorts.

CABBAGE, CAULIFLOWER, CARROTS,
CELERY, CUCUMBERS, LEEKS, LETTUCE, MELON, MUSTARD,
ONION, PARSLEY, PARSNIP,
RADISH AND TURNIP, SWEET AND POT HERBS,

With a general assortment of GRASS AND OTHER SEEDS, all warranted as represented.

☞ A liberal discount to those who purchase to retail.

GOLD FISH AND GLOBES, BIRDS AND BIRD SEEDS, BUDDING AND PRUNING KNIVES,
AND A GENERAL ASSORTMENT OF GARDEN TOOLS.

MISCELLANEOUS.

Artichoke, Globe
———green
Asparagus, Reading
———Battersea,
———Giant
———Grayson's
Beet, Blood Red
—— white
—— green
—— Turnip rooted
Beet, Silver or Sea Kail
Borecole tall green or Scotch Kail
———dwarf green or ditto
———red or brown
Egyptian Kail
Brussels' Sprout tall
——————— dwarf
Cesarean Kail or Cow Cabbage
Brocoli, early green

Brocoli, early purple
——— large purple
——— dwarf purple
——— early white
——— late white
——— invisible white
——— brimstone or Portsmouth
——— white Cape or Cauliflower
——— early purple Cape
——— Bowle's New Sulphur ditto
——— Somer's late white
——— late dwarf Cape
——— white Portsmouth
Cabbage, early Nonpareil
——— American heart-shaped
——— Imperial early
——— early Vanac
——— early Emperor
——— early dwarf
——— fine screw
——— Wellington
——— early York
——— large York
——— early heart-shaped
——— London Battersea
——— early sugar-loaf
———————flat Battersea or harves
——— late flat Battersea
——— large Drumhead or Scotch
——— late dwarf Drumhead
——— 1000-headed
——— Turnip-rooted above gro'nd
——— Turnip-rooted under gro'nd
——— Purple Turnip rooted
——— Kohl Rabi
——— green Rabi
Carrot, long Orange
——— short Orange
——— Altringham
——— early horn
——— scarlet horn
——— Dutch horn, *for forcing*
Carrot, French white
——— long purple
——— white, for gardens
——— white, agricultural
Cauliflower, early
——————— late
——————— London particular
——————— New German
——————— large Asiatic
Celery, Italian
——— solid white
——————— red
——————— new silver
——— dwarf curled
——— Manchester giant red
——————————— rose
——————————— white
——— Lion's paw
——— Seymour's superb
Celeriac or turnip rooted
Cardoon, Spanish
Chervil, curled
Corn Salad
Cress, common
——— fine curled
——— golden
——— broad leaved
——— American
Cucumber, early frame
——————— long frame
——————— fine Southgate
——————— ridge or hand-glass
——————— long prickly
——————— short prickly
——————— early cluster
——————— green prickly
——————— white Turkey
——————— green Turkey
——————— white spined
——————— Manchester prize
——————— Windsor prize
Endive, green curled

Endive, white curled
——— green broad-leaved Batavian
——— white do.
——— fine new do, *for stewing*
Gourds, various
Leek, London flag
——— common
Lettuce, white coss
——— hardy white coss
——— green coss
——— hardy green coss
——— Egyptian coss
——— brown coss
——— Bath coss
——— Block seed, *hardy*
——— blood coss
——— Brighton coss
——— Imperial coss
——— Cape coss
——— white Silesia
——— brown Silesia
——— common white cabbage
——— grand admirable
——— brown Dutch
——— Hammersmith hardy
——— green
——— royal cabbage or union
——— Victoria cabbage
——— Drumhead or Malta
——— Marseilles
——— Tennis Ball
——— Saxony
——— Texter
——— Hampton Court cabbage
Love Apple, large red
——— yellow
——— pear shaped
——— cherry or cluster
——— for preserving
——— new fig-shaped
Melon, green netted
——— green citron
Melon, early smooth cantaloup
——— netted Romana
——— large black rock
——— silver rock
——— scarlet-fleshed
——— green-fleshed
——— large water
——— American pine apple
——— American vars. fine
——— New Persian, *in varieties*
Mustard white
——— brown
Nasturtium, tall
——— dwarf
Orach, white
——— red
Onion, Deptford
——— Strasburgh
——— white Spanish or Portugal
——— brown Spanish
——— large TRIPOLI, flat and globe
——— silver-skinn'd pickling
——— yellow or straw-coloured
Parsley, plain
——— curled
——— Hamburg or long-rooted
Parsnip, hollow-crowned
——— Guernsey
Radish, early frame
——— scarlet short top
——— salmon
——— white turnip
——— yellow turnip
——— red turnip
——— new scarlet transparent do.
——— black Spanish
——— white Spanish
——— long white
Rampion
Rhubarb, Turkey
——— red or tart
——— new early red

Rhubarb, giant or Hybrid
——— Myatt's Victoria
Squash
——— early bush
——— fine custard
——— new warted
——— coacoa nut
——— American vars.
Used in preference to vegetable marrow.
Vegetable Marrow, white
——— ——— ——— green
Salsafy
Scorzonera
Skirret
Savoy, green-curled
——— Drumhead
——— yellow
——— globe
——— early dwarf
——— late green
Sorrel, French or broad-leaved
——— English, or narrow-leaved
Spinach, round or spring
——— prickly or winter
——— Tetragonia expanse, or New Zealand
Sea Kail
Turnip, early Dutch
——— early Stone
——— six weeks yellow, or stone
——— red ditto or stone
——— yellow garden
——— early Snowball, fine

Imported from Germany.

Turnip long yellow
——— long white
——— small yellow
Strawberry, White Alpine
——— Red

These, sown in the Autumn, in a frame, and transplanted into beds in the Spring, continue bearing the whole summer.

ROOTS, &c.

Artichokes
Asparagus
——— Grayson's Giant
Garlic
Mushroom Spawn
Potatoes, early forcing
——— kidney
——— ash-leaved
——— Fox's seedlings
——— Taylor's forty-fold
——— Nevill's defiance, *new*
Rhubarb, Myatt's Victoria
——— all the best known varieties
Sea Kail
Shallots, English
——— Russian
Strawberries, all the best known varieties
Tarragon
Underground Onions
Capsicum
——— long red
——— heart-shaped
——— long yellow
——— bird pepper
——— fine Chili
——— En Tomato

SWEET & POT-HERBS.

Angelica
Anise
Balm
Borage
Burnet
Basil, large or sweet
—— bush or dwarf
Carraway
Clary
Coriander
Cummin
Dill

Fennel
Hyssop
Lavender
Marjoram, sweet
——— pot or winter
Marygold, pot
Purslane, green
Purslane, golden
Rosemary
Savory, summer
——— winter
Scurvy grass
Sage
Thyme

AGRICULTURAL SEEDS.

Buck Wheat
Burnet
Broom
Furze
Canary
Clover, red
——— white Dutch
——— yellow or trefoil
——— Marl or cow-grass
Linseed, English
Grass, Ray or Bents
——— New Italian
——— Pacey's perennial
——— smooth-stalked meadow
——— rough-stalked "
——— Timothy or cat's-tail
——— crested dog's-tail
——— fine or heath ditto
——— cock's foot or orchard
Trifolium incarnatum
Hemp
Lucerne
Rape or Cole Seed
St. Foin
Tares, winter
——— spring
Turnip, green round
——— white "
——— red "
——— white globe
——— purple "
Turnip, green globe
——— large yellow Scotch
——— purple Scotch
——— white tankard
——— red "
——— green "
——— yellow "
——— yellow Swedish
——— red-top't Swedish
——— Laing's improved Swedish
——— Skirving's " "
——— Dale's Hybrid
——— Hood's yellow globe
Madia Sativa, *for extracting oil*
Mangold Wortzel or root of scarcity
——— yellow
——— white or sugar
——— yellow Turnip-rooted
——— red " "
Oats, fine potato
Wheat, white
——— red
——— spring
——— Talavera
——— Egyptian
——— Ely's gigantic
Barley, common
——— winter
——— spring
——— black Russian

FLOWER SEEDS.

HARDY ANNUALS,

Which may be sown in open Borders, from the middle of February to the end of April.

Adonis vernalis flos
——— æstivalis
Agrostemma Coeli rosa
——————— githago
Alyssum, white or sweet
Alkekengi
Anchusa versicolor
Antirhinum bipunctatum
——————— medium
——————— speciosum
——————— spartea
——————— latifolia
——————— tripartitum
——————— viscosa
——————— triphylla
——————— versicolor
Anthericum anruum
Androsace lactiflora
Aster tenella
Balm, Moldavian white
——————— blue
Belvidere, or summer cypress
Bladder Ketmia
Briza, maxima
Calendula Hybrida
——————— pluvialis
——————— stellata
——————— lutea
Campanula Loreii
——————— pentagonia
——————— speculum
——————— dichotoma
Candytuft, new white
——————— Normandy
——————— purple
——————— dark purple
Candytuft, white rocket
——————— small rocket
——————— sweet scented
——————— new crimson
Caterpillars
Catchfly, Lobel's
——————— red
——————— white
Centaurea cyanus
——————— double dwarf
——————— crupina major
——————— crocodilium
——————— elongata
Cerinthe, major
——————— minor
Catananchea lutea
Chrysanthemum carinatum, or tricolor
——————— coronaria, double white
——————————————— yellow
——————————————— quilled
——————— var. Sipthorpii
——————— var. latifolium
Chryseis compacta
——————— crocea
——————— Californica
Clary, red and purple topped
Clarkia pulchella
——————— fimbriata
——————— var. alba
——————— elegans
——————— elegans var. rosea
——————— gauroides
——————— rhomboidea
Collomia grandiflora
——————— coccinia

Collomia lateritia
Convolvulus minor or tricolor
——————— alba
——————————— new. var.
——— major Ipomea purpurea
——— fine striped
——— spotted flowered
——— indistinct colors
Coreopsis diversifolia
——— picta
——— Drummondii
——— elegans
——— coronata
——— tinctoria
——— atro sanguinea
——— Atkinsonia
Dracocephalum, canescens
Dianthus prolifer
——— Armeria
Echium violaceum
——— plantagineum
——— Australe
Elsholtzia cristata
Gilia capitata
—— var. alba
—— bicolor
—— aggregata
Godetia rubicunda
——— vinosa
——— lepida
——— concinna
——— Wildenova
——— albescens
——— grandiflora
Gypsophila elegans
——— viscosa
Glaucium tricolor
——— Persicum
——— Pheniceum
——— Violacea
Hawkweed, yellow
——— silver
Hawkweed, red
——— new white
Hedgehogs and Horns
Helianthus petiolaris
——— tubiformis
——— californica
Hyoscyamus pictus
——————- agrestis
——————- pallidus
——————- albus
Iberis odorata
——— amara
——— umbellata spes. nova
——— coronaria
Jacobea, purple
——— fine double
——— white
——— yellow
Kaulfussia amelloides
Larkspur, dwarf rocket
——— tall rocket
——— fine rose
——— branching
——— German 10 distinct var. fine
——— Neapolitan
——— unique
——— in distinct colors
Lasthenia Californica
——————- glabrata
Lathyrus alatus
——— azureus
——— annuus
Linaria reflexa
——— canadense
——— Prezii
Lobelia, erinoides
——— gracilis
——— ramosus
——— erinus grandiflora
Love lies bleeding
Lychnis, lœta
——— dwarf

Lupins, yellow
——— large blue
——— rose
——— white
——— straw-colored
——— small blue
——— Dutch blue
Lupinus, micranthus
——— elegans
——— bicolor
——— lanceolata
——— nanus
Lythrum thymifolium
——— hyssopifolium
Madia splendens
Malesherbia coronata
Mallow, scarlet
——— curled
——— Venetian
——— zebra
Malva Mauritana
——— miniata
——— Munroana
Malope trifida et alba
——— grandiflora
——— viscosa
Mathiola quarantine rouge
——— blanche
——— violette
——— Grecque rouge
——— violette, &c. &c.
} 40 varieties.
Marygold, Cape
Migninonette, sweet
——— upright or reseda
Nasturtium, tall
——— dwarf
——— new dark
Nigella Romana
——— double dwarf
——— orientalis
——— Spanish
Nolana prostrata
——— paradoxa
Nolana atriplicifolia
——— alba grandiflora
Œnothera purpurea
——— tenuifolia
——— linearis
——— salicifolia
——— viminea
——— decumbens
——— micrantha
——— grandiflora
——— striata
——— rosea alba
——— stricta
——— Romanzovii
——— tenella
——— Lindleyana
——— quadrivulnera
——— bifrons
——— densiflora
——— concinna
——— humifusa
Oxyura chrysanthemoides
Papaver persicum
——— amœna
Peas, sweet purple
——— scarlet
——— scarlet striped
——— white
——— yellow
——— black
——— striped
——— painted lady
——— top-knot
——— scarlet Tangier
——— painted lady Tangier
——— yellow-winged
——— red-winged
——— Lord Anson's
——— ditto, white variety
Persicaria, red
——— white
——— large American
Phacelia tanacetifolia

Phacelia congesta
——— bipinnatifida
Poppy, carnation
——— Picotee
——— new fringed
——— double white
——— Ranunculus
——— white-edged
——— dwarf Chinese
——— new Dutch varieties
Prince's Feather
Roman Nettle
Rœmeria Hybrida
Rudbeckia, amplexicaulis
Scabiosa stellata
——— prolifera
Sanvitalia procumbens
Snails
Snapdragon
Stock, Virginian
——— white do.
Soapwort, scarlet
Sunflower, tall
——— dwarf
——— extra double
——— large American
Strawberry, spinach
Silene atocion
——— trinerva
——— conoidea
——— picta
——— pendula
——— rubella
——— vespertina
——— Nyctantha
——— Noctiflora
——— regia
——— reticulata
——— colorata
Trifolium incarnatum
——— cœruleum
Tropeolum majus
——— var. atrosanguinea
——— peregrina
——— aureum
——— Minus
Venus's Looking-glass
——— white "
——— new purple "
——— navel-wort
Veronica filiformis
Vesicaria gracilis
——— grandiflorus

N. B.—Many of the varieties enumerated in this and the following lists are of very recent introduction—particularly showy and handsome, and well worthy of attention.

HALF HARDY,

Which should be sown in March, under Hand-glasses, or on a very moderate Hot-bed, and transplanted into the Borders in the middle of April or beginning of May.

Ageratum Mexicanum
——— odoratum
Anagallis indica
——— grandiflora
——— Monelli
——— Webbiana
Anagallis arvense
——— Phillipsii
Argemone Mexicana
——— alba
——— speciosa
——— ochroleuca

Argemone grandiflora
Aster, Chinese
——— in 20 varieties, imported from Germany.
——— dwarf, 10 var.
——— red
——— purple
——— white
——— bonnet
——— new early dwarf
——— superb red
——— new black stem'd
——— fine quilled blue
——— white quilled
——— red quilled
——— striped red
——— striped purple
——— Pyramidalis
Bartonia aurea
Blumenbachia insignis
——————— multifida
Caccalia coccinea
——————— souchiflora
Calandrinia discolor
——————— speciosa
——————— grandiflora
Campanula divergens
Carthamus tinctoria
Centaurea Americana
——————— depressa
——————— pulchra
Calceolaria pinnata
Clintonia elegans
——————— pulchella
Collinsia verna
——————— parviflora
——————— grandiflora
——————— bicolor
——————— heterophylla
Claytonia alsinoides
Coix lachryma
Cosmanthus fimbriatus
Cuphea viscocissima
——— procumbens
——— silenoides
Datura ceratocaulon
——— Guayaquilensis
——— tatula
——— quercifolia
Dahlia, Mexican, 2 var.
Dolichos lablab
——————— purpurea
Erysimum Perowskianum
Eutoca multiflora
——— viscida
——— Wrangleana
——— Menziesii
Eucharidium concinum
——————— grandiflorum
Euphorbia variegata
Galinsogea trilobata
Gilia tricolor
——— achillæfolia
——— pulchella
——— coronopifolia
——— aggregata
——— tenuifolia
Gnaphalium fœtidum
Helichrysum macranthum
——————— bracteatum alba
Hollyhock, Chinese
Heliophila, araboides
Hibiscus Africanus, minor
——————— vesicarius, major
Hypecoum procumbens
Impatiens parviflora
——————— biflora
——————— tricornis
——————— glanduligula
Impatiens acornis alba
Ipomea hederacea
——— Michauxii
——— discolor
——— hepaticæfolia

Ipomea striata
Leptosiphon androsaceus
——— densiflorus
Limnanthus Douglassii
Loaza nitida
——— acanthifolia vel Placeii
——— brionifolia
——— alba
——— aurantiaca
——— Herbertii
——— Pentlandica
Lupinus mutabilis
——— var. Cruikshanksii
——— Hartwigii
——— leptophyllus
——— densiflorus
Malesherbia humilis
——— coronata
Marvel of Peru, red
——————— yellow
——————— white
——————— long tub'd, or sweet-scented
——————— gold-striped
——————— red-striped
——————— bicolor
——————— new scarlet
——————— new tricolor
Marigold, orange African
——— lemon "
——— quilled "
——— dwarf French
——— tall "
——— unique "
——— striped "
——— new early dwarf
——— sweet-scented
Mesembryanthemum crystallinum
——————— glabrum
——————— caudatum
——————— tricolor
——————————— alba
Nemophila phaceloides
——— insignis
——— aurita
——— atomaria
——— discoidalis, new black
Nicotiana augustifolia
——— glutinosa
——— quadrivalvis
——— rustica, or Maryl'd tobacco
——— tabacum, or Virginian "
——— undulata
——— macrophylla
——— paniculata
——— longiflora
——— Persica
Pink, Indian double
—— broad leaved
Petunia nyctagyniflora
——— intermedia
——— violacea
——— Atkinsianum
——— hybrid var.
Phlox Drummondii
Platystemon Californica
Podolepsis gracilis
Ricinus, palma Christi
——————— major
——————— minor
Schizanthus pinnatus
——— porrigens
——— var. humilis
——— retusus
——— Hookerii
——— Grahamii
——— venustus
——— Preistii
——— candidus
Streptanthus obtusifolius
——— hyacinthoides
Schizopetalon Walkerii
Shortia californica
Sphænogyne anthemoides

Sphænogyne speciosa
Stock, new Prussian in colors
——— new German, in 40 varieties
——— new Russian
——— giant 10-week
——— fine scarlet
——————— purple
——————— white
——— white wall-leaved
——— purple "
——— scarlet "
——— Buck's intermediate scarlet
——— Victoria intermediate purple
Sultan, sweet purple
——————— white
——— yellow
Tagetes corymbosa
——— tenuifolia
Trachymene cerulea
Xeranthemum lucidum
——————— white
——————— purple
Zinnia, violacea et elegans
——— coccinea, et alba
——— atrococcinea
——— rosea et purpurea
——— multiflora, red
——————————— yellow
——————————— var. grandiflora
——— revoluta
——— tenuiflora
——— verticillata

TENDER ANNUALS,

Requiring more than one Hot-bed to bring them to perfection, must be sown in the month of February and March.

Amaranthus, purple globe
——————— white
——————— tricolor
——————— bicolor
Balsam, fine double
——————— French varieties
——————— panaché rouge
——————— blanche
——————— couleur de feu
——————————— de chair
——————— mottled
——————— gris de Lin
——————— fine scarlet
——————— rose-coloured
——————— purple
——————— scarlet mottled
——————— violet
Browallia elata, blue
——————————— white
——————— grandiflora
——————— demissa
Cleome pentaphylla
Cleome rosea
——— spinosa
——— lutea
Cosmea bipinnata
Canna angustifolia
——— coccinea
——— Indica
——— lutea
——— flaccida
Celosi a castrensis
——— cristata or coxcomb
——— tall red
——— dwarf red
——— branching
——— pyramidial
——— yellow or buff
——— Chinese or golden-crested
Capsicum, long red
——————— long yellow
——————— large ox-heart
——————— cayenne
——————— en Tomato

Capsicum, bird pepper
Cleome lutea
Colutea, scarlet
Egg-plant, white
——— purple
Ice-plant
Ipomea coccinea
——— quamoclit
——— rubra cerulea
Martynia annua
——— proboscidea
——— fragrans
Mimosi pudica
——— sensitiva
Pentapetes Phœnicea
Portulaca splendens
——— Gillesii
——— Thellusonia
Rhodanthe Manglessii
Stramonium, double purple
——— white
Salpiglossus picta
——— staminea
——— atropurpurea
——— Barclayani
——— integrifolia
——— linearis

BIENNIAL AND PERENNIAL FLOWER SEEDS,

To be sown from the beginning of April to the middle of June.

Aconitum album
——— variegatum
——— elatum
——— squarrosum
——— ochroleucum
——— Sprengelli
——— pyramidale
——— exaltatum
——— chinense
Agrostemma flos Jovis
Alonsoa linearis
——— grandiflora
——— incisa
Alstrœmeria pulchella
——— Simsii
——— Pelegrina
——— tricolor
——— Psittacina
——— ovata
——— acutifolia
——— Hookerii
——— aurea
——— oculata
Alstrœmeria hæmantha
——— Flos Martini
Alyssum saxatyle
——— utriculatum
Ammobium alatum
Anagallis Monelli
——— latifolia
——— Webbii
——— azurea grandiflora
Anchusa sempervirens
——— incarnata
——— Hybrida
——— rosea
——— violacea
Anemone coronaria
——— Pennsylvanica
——— sulphurea
——— narcissiflora
——— vitifolia
Argemone grandiflora
——— hybrida
Aster acris major
—— alpinus

Aster pulcherrimus
Atropa belladonna
Auricula, alpine
——— show flowers
Antirrhinum, majus
——— bicolor
——— new scarlet
Aquilegia glandulosa
——— atropurpurea
——— Sibirica
——— alpina
——— canadense
——— Skinnerii
——— glauca
Baptisia exaltata
Balm of Gilead
Barbarea taurica
——— Iberica
Calampelis scabra
Calceolaria scabiosæfolia
——— arachnoidea
——— corymbosa
——— pendula
——— suberecta
——— integrifolia
——— shrubby } *from finest flowers*
——— herbaceous }
Campanula azurea
——— latifolia
——— alba
——— pyramidalis
——— alba
——— versicolor
——— gracilis
——— pulcherima
——— Americana
——— macrantha
——— grandis
——— divergens
——— urticifolia
Canterberry Bells, blue
——— white
Canterberry Bells, double lilac
Carnation, fine double German
——— seedling varieties
Catananche, cerulea
——— var. alba
——— bicolor
Cheiranthus fruticulosus
Chelone pubescenes
——— pulchella
——— Lyonii
Chrysanthemum Monspeliense
Cineraria gigantea
——— fine mixed
Cobæa stipularis
——— macrostema
——— scandens
Columbine
Comelina cœlestis
——— tuberosa
Cowslip in colours
Coronilla Iberica
Cynoglossum glochiatum
——— pictum
——— Dioscoroides
——— longiflorum
——— anchusoides
Delphinium pictum
——— Requienii
——— discolor
——— elatum
——— grandiflorum
——— fine var.
——— intermedium
——— discolor
——— ucranicum
——— sinensis
——— amænum
——— urceolatum
——— speciosum
——— decorum
——— montanum
——— revolutum

Delphinum fissum
——— Hybridum
Dianthus montanus
——— collinus
——— giganteus
——— Hispanicus
——— capitatus
——— caucasicus
——— Fischerii
——— atrorubens
——— superbus
——— pallidiflorus
——— majus
——— Virginicus
——— hyssopifolius
——— aggregatus
——— Sternbergii
Digitalis aurea
——— ferruginea
——— lutea
——— lævigata
——— ochroleuca
——— parviflora
——— minor
——— grandiflora
——— vars. *from Germany*
——— alba
——— purpurea
——— var. superba
Dracocephalum Sibericum
——— speciosum
——— nutans
——— argunense
Echium Italicum
——— asperimum
——— rubrum
——— undulatum
Erysimum perfoliatum
——— Marshallianum
——— longifolum
——— lanceolatum
Eupatorium purpereum
Foxglove, red
——— white
Francoa appendiculata
——— sonchifolia
Galardia bicolor
——— Richardsonii
——— picta
——— coccinea
Galardia Drummondii
Geum Quellyon
——— coccineum
——— superbum
——— hirsutum
——— album
——— pyrenaicum
——— heterophylium
Geranium fine, *in sorts*
Gentiana acaulis
——— asclepiadea
——— cruciata
——— lutea
——— macrophylla
——— saponaria
Glaucium fulvum
Globe Thistle
Gloxinia, species
——— rubra
Gnapalium fœtidum
Gypsophilla paniculata
Hesperis matronalis
Heart's-ease
Hedysarum elegans
Hedysarum caucasicum
——— coronaria
Helianthus trachelifolius
——— strumosus
Helianthemum glomeratum
Hemerocallis cœrulea
——— graminea
Helychrysum niveum
Hibiscus Manihot
Cameronia

Honesty, or Lunaria, red and white
Honeysuckle, red French
——— white
Horned Poppy
Humea elegans
——— nanus
Hollyhocks, Antwerp
——— double
——— brown
——— yellow
——— rose
——— buff
——— purple
——— black
——— red
——— white
——— 12 var. 2 feet high,
double flowered and very curious.
Hunnemannia furmarifolia
Ipomea Insignis, H. C.
——— Mexicanus, H C.
Iris Siberica
Latana Sellowii
Lathyrus latifolius
——— albus
——— ensifolius
——— heterophyllus
——— grandiflorus
——— nervosus
Lavatera solvitletina
Liatris spicata
——— scariosa
——— gracillis
——— squarrosa
——— elegans
Linaria genistifolia
——— tristis
——— dalmatica
——— pupurea
Linum monogynum
——— Berenderii
——— perenne
Linum Sibiricum
——— Anglicum
Lisianthus Russelliana
Lobelia cardinalis
——— secunda
——— syphilitica
——— heteromalla
——— colorata
——— pupurea
——— syphilitica purpurescens
——— cardinalis splendens
——— Millerii
——— heterophylla
Lophospernum erubescens
——— scandens
——— Rhodochiton
——— Hendersonia
Lupinus nootkatensis
——— arboreus
——— polyphyllus
——— var. albus
——— Mexicanus
——— leucophyllus
——— lepidus
——— rivularis
——— pulchellus
——— tomentosus
——— lucidus
——— tristis
——— littoralis
——— versicolor
——— frutescens
——— ornatus
——— Marshallianus
——— incanus
——— albifrons
——— latifolius
——— macrophyllus
——— leptocarpus
Madia stavia
Malva arborea
——— moschata

Malva hybrida
—— Borbonica
—— umbellata
—— purpurata
—— lateritia
—— campanulata
Marica Californica
—— Bermudiana
—— anceps
Maurandya Barclayana
———— semperflorens
———— antirrhiniflora
———— alba
Mimulus Cardinalis
———— guttatus
———— rivularis
———— moschatus
———— roseus
———— variegatus
———— Smithii
———— new vars.
Monkshood
Nepeta violacea
—— colorata
—— Italica
—— nepetella
—— melissæfolia
—— grandiflora
—— ucranica
Nierembergia intermedia
———— gracillis
Œnothera biennis
———— grandiflora
———— acaulis
———— fruticosa
———— taraxifolia
———— pumila
———— sticta
———— macrocarpon
———— Missouriensis
———— Fraserii
———— glauca
Œnothera Drummondii
Papaver bracteatum
—— alpina
—— Orientale
—— nudicaule
Peony, in sorts
Ptaria aliacea
Phlomis Samia
Penstemon atropurpureus
———— pulchellum
———— Richardsonii
———— digitalis
———— argutum
———— pubescens
———— diffusum
———— angustifolium
———— elegans
———— gentianoides
———————— cocinea
———— speciosum
———— glandulosum
———— ovatum
———— Campunalatum
———— Cobæa
Polygonum cymosum
Phlox cordata
—— corymbosa
—— scabra
Pink, Pheasant-eyed
—— mountain
—— Spanish
Polemonium, ceruleum
———— gracile
———— grandiflorum
———— Mexicanum
Polyanthus, fine
Primula prænitans
———— var. albus
Potentilla formosa
———— arguta
———— astrosanguinea
———— pedata

Polentlla splendens
——— hirta
——— chrysantha
——— Gesneriana
——— georides
——— intermedia
——— Americana
——— rupestris
——— strigosus
——— caneseens
——— adscendens
——— Monspeliensis
——— pallida
——— Thomasii
——— insignis
Pyrethrum uliginosum
——— roseum
Ranunculus Cassubicus
——— aconitifolius
Rhodochiton volubile
Rocket, sweet
Rudbeckia Newmanii
——— digitata
——— hirta
——— laciniata
Salvia Æthiopica
——— patula
——— Tenorii
——— grandiflora
——— Sibthorpii
——— multifida
——— clandestina
——— laciniata
——— campestris
——— nutans
——— patens
——— hians
——— bicolor
Saponaria glutinosa
Scabiosa Alpina
——— Caucassica
——— moschata or sweet
Scutellaria altissima
——— albida
——— Columnea
——— lateriflora
Senecio, lilacinus
——— abrotanfolius
——— delphinoides
——— valerianæfolius
Silene nemoralis
——— Siberica
——— fimbriata
——— Catholica
——— livida
——— longiflora
——— compacta
——— speciosa
Sisyrinchium mucronatum
——— Iridiolum
Snapdragon, white
——— purple or white
Streptanthus obtusifolius
Sweet William, scarlet
——— mixed
Stock, scarlet Brompton
——— white "
——— purple "
——— Twickenham
——— scarlet queen
——— white "
——— purple "
Tagetes lucida
——— florida
Thunbergia alata
——— alba
——— leucantha
——— aurantiaca
Tetragonolobus siliquosus
Tradescantia recta
Tropæolum tricolor
——— brachyseras
——— pentaphyllum
Valerian, scarlet

Valerian wite garden
——— Greek
——— white and red
Verbena bracteosa
——— alata
——— urticifolia
——— venosa
——— aubletia
——— sulphurea
——— aubletia, var. Drummondii
——— pulchella
——— Sweedinia
——— Niviana
——— incisa
——— Araniana
Vesicaria utriculata
——— sinuata
Viola odorata
—— Ruppi
Viola montana
—— multifida
—— pulmanense
Veronica longibracteata
——— orchidea
——— laciniata
——— saxatillis
——— gentianoides
——— latifolia
——— azurea
——— Australis
——— incisa
——— Caucasica
——— urticifolia
——— polymorpha
Wallflower, bloody
——— yellow
——— German purple

ROOTS.

Achimenes Rosea
——— longiflora
——— pedunculata
——— hirsuta
——— multiflora
——— grandiflora
Alstrœmeria acutifolia
——— salsilla
——— et vars.
Asclepias tuberosa
Batatas Bonariensis
Cypripedium spectabilis
——— pubescens
——— calceolus
Gladiolus Psittacinus
——— floribundus
——— splendid hybrids
——— et vars.
Gloxinia rubra
——— speciosa
Iris Herbaceosus, in 40 vars.
Lilium speciosum
——— testaceum
——— lancifolium album
——— punctatum
——— eximium
——— superbum
——— et vars.
Liatrus elegans
——— scariosa
——— spicata
Oxalis, in vars.
Pæonia moutan
——— papaveracea
——— herbaceous, in 40 vars.
Scilla præcox
——— bifolia
——— verna
——— et vars.
Tropeolum azureum
——— edule
——— brachyseras

Tropeolum tricolor
——— tuberosum
——— Moritzianum
Trigridia pavonia
Tigridia chonchiflora
Zephyranthus atomasco
——— rosea
——— grandiflora

Together with a Large Collction of
HYACINTHS, NARCISS, JONQUILS, TULIPS, CROCUS, AMARYLLUS, AND OTHER BULBS,
Of which a separate Catalouge is published. A superb collection of the MOST CHOICE DOUBLE DAHLIA ROOTS,
TO BE DELIVERED EARLY LAST WEEK IN APRIL.

HARDY TREES AND SHRUB SEEDS.

Acacia of sorts
Arbor Vitæ. of sorts
Ash, English
—— mountain
Arbutus
Andromeda Mariana
——— paniculata
——— racemosa
Alder
Bay, sweet
Broom, English
——— Spanish
——— white Portugal
——— striated
——— Lucca
Bladder senna
Betula excelsa
——— Lenta
——— nigra
——— populifolia
Bignonia radicans
Birch common
——— weeping
Briar, sweet
Catalpa cordifolia
Ceder, red Virginian
—— white "
—— of Lebanon
Cytisus purpurea
——— capita
Chesnuts, Spanish
——— horse
——— Chinquapin
Cypress upright
——— spreading
——— deciduous
Chionanthus Virginicus
Cercis or Judas Tree
Cistus, of sorts
Ceanothus, Americanus or button wood
Clethra alnifolia
Clematis, sweet-scented
Candleberry, Myrtle
——— evergreen
Colutea, Oriental
——— common
Elder, red-berried
Elm, English
—— Scotch
—— American
—— white
Euonymous, common
——— evergreen
Fir, Norway Spruce
— red American
— white and black
— Hemlock "
— silver
— Balm of Gilead

Fire Scotch
Filberts
Furze
Gleditschia, triacanthos
Gerardia, quercifolia
——— flava
Halesia, tetraptera
Hawthorn, English white
——— American scarlet "
Holly
Hornbeam, English
Hypericum, Kalmianum
Hibiscus, of sorts
Hazel Nuts
——— Spanish ditto
Ilex, opaca
—— Dahoon
Juniper
——— Sweedish
Juniperus Virginiana
Kalmia, in sorts
Laburnum, English
——— Scotch
Laurel common
——— Portugal
Lauras, sassafras
Lime
Liriodendron, tulipiferum
Maple, common
——— Norway
——— scarlet
——— American
Magnolia glauca
——— grandiflora
——— umbellata
——— tripetala
——— Macrophylla
Mezereon
Mulberry, red
Mulberry, white
——— black
Oak, common
—— Cork
—— evergreen
—— American
—— swamp
—— quercitron
—— scarlet
—— Chesnut-leav'd
Ostrya Virginica
Pine, Weymouth
—— Cluster
—— pine aster
—— stone
—— Siberian
—— Jersey
—— blue and white
—— frankincense
Platanus orientalis
——— occidentalis
Privet
Prunus, Virginiana
Pyracantha
Rhododendron maximum
——— ponticum
——— punctatum
Robinia, pseud Acacia
——— American
——— European
Spiræa
Sumach
Virbunum, in species
Walnut, black American
——— white "
——— English or common
——— thin shell'd hickory ditto
——— thick shell'd
Yew

ENGLISH SEEDS imported annually, of which a separate Catalogue is published.

D. & T. beg to state, that from their general connexion with the Seedsmen and Florists in England, France, and Germany, they are enabled to offer, with the most perfect confidence, Collections of GERMAN STOCKS and ASTERS, with FRENCH CARNATIONS, and other choice Seeds, at such moderate prices, and put up in such limited quantities, as to suit the convenience and tastes of all private Cultivators, Florists, and Gardeners.

GERMAN TEN-WEEK STOCKS, in collections of from 10 to 100 varieties, at 3d., 6d., and 1s. per packet, varying only in quantity.

GERMAN, BROMPTON, or WINTER STOCKS, in 12 varieties, from 5s. to 15s. each.

WALL FLOWERED LEAVE do. do. in 20 or 30 varieties, from 5s. to 7s. 6d.

GIANT TEN-WEEK STOCKS, Purple and Scarlet, in packets of 100 seeds, 1s. each.

FINEST GERMAN ASTERS, in collections of from 8 to 24 varieties.

EARLY DWARF do. do.

GLOBE FLOWERED and PYRAMIDAL do.

GERMAN and FRENCH WALL-FLOWERS, BALSAMS, CARNATIONS, PICOTEES, in small or large packets, from 6d. to 2s. 6d. each.

HOLLYHOCKS, in 12 distinct varieties.

With all the newest and most recently introduced varieties of Flower Seeds, which can possibly be obtained.